

# 1155 WasteWeigh



1155 Indicator

## Packed with Benefits as Standard

Includes Barrier Control as well as Packer Plate Shutdown

### High Accuracy with Lasting Reliability

Specifically engineered on-board weighing systems for refuse collection vehicles. The durable WasteWeigh system is designed for high accuracy in rugged environments.

### 1155 Digital Weight Indicator

Specially engineered for on-board use, the 1155 digital indicator is a versatile display designed to suit a variety of trucks from 17 tonne to 32 tonne GVW.

### Mounting Versatility

The 1155 is suitable for DIN radio mount, dash mount, or trailer mount.

### Packer Plate Shutdown

The packer plate shutdown function ensures overloading is prevented by inhibiting the compaction unit when the gross or net alarm point is reached. An override key switch allows the compaction unit to be switched back on by an authorised person.

### AxleWatch

Axle weights are displayed, alerting the driver to any axle overload infringement.

### Barrier Control


The intelligent barrier control provides a signal that can be used to drive the barrier forward to redistribute the load across the rear axles, preventing overloading.



Digital CAN bus



Analogue



DIN Radio Mount



Dash Mount



Gross Vehicle Weight



Net Payload Weight



Axle Weights

Airedale House | Canal Road | Bradford BD2 1AG  
Ph: +44 (0)1274 771177 | Fax: +44 (0)1274 781178  
E-mail: [obw.eur@vpgsensors.com](mailto:obw.eur@vpgsensors.com)

[vpgonboard.com](http://vpgonboard.com)

**VPG**  
**ONBOARD**  
**WEIGHING**


## The Latest Technology in Weighing and Overload Protection for RCVs

### Features and Benefits

- High accuracy  $\pm 0.5\%$  FSD or better
- Overload alarm, audible or visual
- Simple to operate
- Rugged for off-road use
- 17–50 tonnes GVW
- Packer plate shutdown
- Barrier control
- Key switch



Load Deliver or Collection



Easy-to-set-up Menus




Alarm Set Points



User Defined Display

### Retro-Compatibility

The 1155 automatically detects whether analogue or digital CAN bus signals are being used. This means complete compatibility for new and existing systems.



Features	Standard	Option
Net payload/gross weight display	●	
Gross vehicle weight display	●	
AxleWatch – individual axle weights	●	
Alarm sounder	●	
CAN bus and analogue	●	
RS232 output	●	
Password protection	●	
Packer plate shutdown – key switch		●
Barrier control		●
Printer – thermal		●
Printer – heavy duty		●
Custom printer headers		●
511 FreeWeigh – handheld unit		●

**DISCLAIMER:** ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE. Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein. VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.** Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com). No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG. The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications. Product names and markings noted herein may be trademarks of their respective owners.

